

Deciduous Shrubs

Fact Sheet 7.415

Gardening Series | Trees and Shrubs

By R.A. Cox and J.E. Klett (12/13) Revised by S. K. Prentice (4/23)**

Shrubs are immediately noticeable in the landscape because they are at eye Flower level. and fruit displays, interesting foliage shapes and colors, and even bark color and texture add interest. Shrubs can visually anchor a building to a site, guide the eye toward or away from certain views, and bridge space between lower-growing perennials and taller trees. Deciduous shrubs offer seasonal changes not found with evergreen shrubs.

Because of their varied size, shrubs are versatile landscape performers. A 2foot shrub can complement perennials in the flower bed, while a 20-foot hedge can screen even the largest property. Some shrubs may be pruned to a single or few stems for growth as small specimen trees. Pruning others flat to decorate a wall in an espalier can provide a focal point for a courtyard or walkway. Space shrubs singly or mass them in small odd numbered groups to fill in a shrub border. Spacing closely in a line will allow plants to grow into a hedge or screen. The spacing at planting depends on the growth habit and mature size of the shrub species, as well as the intended purpose.

Before purchasing shrubs, decide the Drought-tolerant shrufunction you need them to perform in 7.229, Xeriscaping: The landscape. Are you interested in Native shrubs suitable screening an undesirable view, listed in 7.422, Native shrubs suitable intercepting the glare of car headlights Colorado Landscapes.

hiding the house foundation, reducing the wind velocity, attracting birds, or adding flowers or fall color?

After determining the function, write down a description of the intended planting site to include soil texture (clay, sand, etc.), available moisture, and exposure (compass direction and sunny vs. shady). Remember, as landscapes mature, a sunny site may change to a shady one.

Colorado growing conditions present both challenges and opportunities. Dry, sunny days and cool nights make plant diseases relatively rare and prolong or intensify flowering. Late frosts may damage the flowers of spring flowering shrubs. Soil conditions often are not conducive to growing certain species. Both climate and soil conditions vary widely across the state, meaning some shrubs may grow well in one area but not in others.

The following list, while not comprehensive, provides information on the more commonly available deciduous shrubs for elevations below 6,000 feet. For a listing of shrubs adapted to higher elevations, refer to fact sheet 7.423, Trees and Shrubs for Mountain Areas. Drought-tolerant shrubs are listed in 7.229, Xeriscaping: Trees and Shrubs. Native shrubs suitable for landscapes are listed in 7.422, Native Shrubs for Colorado Landscapes.



Quick Facts

- Use shrubs for screening, privacy, windbreaks, wildlife habitats, landscape color and texture.
- Deciduous shrubs provide a seasonal change of interest in the landscape.
- Well-placed shrubs take into account available space, exposure and soil conditions.
- Table 1 lists shrubs for elevations below 6,000 feet that are widely available in garden centers and nurseries.

R.A. Cox and J.E. Klett Colorado State University Professor of Environmental Horticulture

**Revised by S. Prentice, Colorado State University Graduate Student. (4/23).



	Deciduous Shrubs:	Soil	Evposuro	Flower Color and Month:	Fruit:	Fall	Comments:
	Small Shrubs (less than 4 feet when mature):	woisture.	exposure.	and Month.	riuit.	COIOI.	Comments.
_	Berberis thunbergii atropurpurea						
D	Purpleleaf Japanese barberry	L-M	S-PSh	Y/5-6	R	R-Pu	Reddish-purple foliage.
	'Crimson Pygmy'					R-Pu O	Colden foliage
	Golden Nugget™ Berberis thunbergii 'Goruzam'					O	Golden foliage.
	Golden Ruby Barberry	L-M	S	Y/5-6	R	RO	Compact shrub with leaves that emerge coral-red, developing gold margins.
	Buddleja x 'Blue Chip'		6	DI D. /6 0	.	.	T
	Lo & Behold® Blue Chip Butterfly Bush	М	S	BI-Pu/6-9	NI	NI	True dwarf butterfly bush, blooms continually summer to fall.
D	Caryopteris x clandonensis		C DCI-	DI D/7 0	т	NII	Cod hands in late winter
	Blue mist spirea Caryopteris x clandonensis 'Dark Knight'	L-M	S-PSh	BI-P/7-9	Tan	NI	Cut back in late winter.
	Dark Knight Spirea	L-M	S-PSh	BI/7-9	Tan	NI	Darker gray-green foliage and deeper blue flowers.
	Chaenomeles japonica 'Texas Scarlet'						
_	Texas Scarlet Quince	L-M	S-PSh	R/4	Υ	NI	Low growing shrub with bright red flowers. Blooms early.
	Cornus sericea 'Farrow' Arctic Fire™ Red Twig Dogwood	М-Н	S-PSh	W/5-6	W-BI	R-Pu	Compact selection. Dark red stems in winter.
	Cornus sericea 'Kelseyi'		3 1 311	******	** 5	IV I G	compact sciedion. Bank rea stems in winter.
44	Kelsey dogwood	Н	S-PSh	NI	NI	R-Pu	Mounded; red stems.
	Cotoneaster apiculatus						
	Cranberry cotoneaster Cotoneaster damerii 'Coral Beauty'	М	S-PSh	P/5	R	R	Mounded habit.
	Coral Beauty Cotoneaster	М	S-PSh	W-P/5	R-O	R-O	Trailing habit with bronze-red fall color.
	Cotoneaster horizontalis						
	Rock cotoneaster	М	S-PSh	P/5	R	R-Pu	Good tall groundcover, distinctive branching pattern.
	Cytisus purgans Spanish Gold® Broom	L	S	Y/5	NI	NI	Dense mounding habit with golden blooms.
	Cytisus x 'Lena'	_	J	.,0			z enee meanang nasit wan gelaen zieeme.
	Lena Broom	L	S	R/5	NI	NI	Rust-red flowers with yellow highlights.
	Daphne x burkwoodi 'Carol Mackie' Carol Mackie Daphne	М	S-PSh	W-P/5	NI	NI	Croon leaves with vellow margins fragrant flowers
	Forsythia x 'Arnold's Dwarf'	IVI	3-2311	VV-P/3	INI	INI	Green leaves with yellow margins, fragrant flowers.
	Arnold's Dwarf Forsythia	М	S	Y/3-4	NI	Y-Pu	Compact habit.
	Hydrangea arborescens						
	Smooth Hydrangea	М-Н	Sh-PSh	W/7-9	NI	NI	Large, showy flowers.
	'Annabelle' Incrediball®	141-1 1	311-1 311	W/7-9	INI	INI	Very large flowers.
	Invincibelle® Spirit			P/7-9			Very large flowers.
	Hypericum kalmianum						
	Hypericum (St. John's-wort)	L-M	S-PSh	Y/7-9	NI	O-Pu	Blue-green foliage; hardier.
	'Hidcote'	М				NI	Cut back to ground in fall.
	Ligustrum vulgare 'Lodense' Lodense Privet	L-M	S-Sh	W/6-7	В	NI	Dark green foliage held late. Compact.
	Lonicera spp.	L IIII	3 311	**/**			butk green lonage held late. compact.
	Honeysuckle	М	S-Sh	W/5-6	R	NI	
	'Emerald Mound'			W/5-6			Mounded habit.
	'Wolfii'			P/5-6			Fragrant, trumpet-like flowers.
	'Clavey's Dwarf' Philadelphus virginalis 'MN Snowflake'			W/5-6			Good hedge.
	Minnesota Snowflake Mockorange Potentilla fruticosa	М-Н	S-PSh	W/5-6	NI	NI	Fragrant double flowers.
\triangleright	Potentilla (shrubby cinquefoil)	L-M	S-PSh	Y-W/6-9	NI	NI	Compact, rounded.
	'Abbotswood'			W/6-9			Spreading.
	'Coronation Triumph'			Bright Y/6-9			Upright.
	'Fargo'- Dakota Sunspot® Potentilla			Y/6-9			Spreading habit. Deep golden yellow flowers
	'Gold Drop' 'Gold Star'			Golden Y/6-9 Y/6-9			Compact. Compact, rounded habit.
	'Goldfinger'			Y/6-9			Compact, rounded habit.
	'Jackmannii'			Deep Y/6-9			Upright.
	'Katherine Dykes'			Light Y/6-9			Spreading.
	'McKay's White'			W/6-9			Single white flowers, rounded habit.

Potentilla fruticosa (cont.)						
'Pink Beauty'			P/6-9			Single and semi-double pink flowers, rounded habit.
'Yellow Gem'			Y/6-9			Spreading habit. Single yellow flowers, ruffled flower petals.
Prunus pumila Pawnee Buttes®						
Creeping Western sandcherry	L	S	W/4-5	В	R-Pu	Low groundcover. Plant Select® 2000.
Rhus aromatica 'Gro-low'						
Gro-low sumac	L-M	S-PSh	Y/3-4	R	R-Pu	Vigorous, widespreading.
Ribes alpinum						
Alpine currant	L-M	S-Sh	NI	NI	Υ	Good for hedge.
Rhus trilobata 'Autumn Amber'						
Autumn Amber Threeleaf sumac	L	S	Y/3-4	R	O-Y	Low groundcover.
Spiraea betulifolia 'Tor'						
Tor Birchleaf Spirea	L-M	S	W/5-6	NI	R-O	Compact habit, good green leaves.
Spiraea 'Gold Mound'						
Gold Mound Spirea	L-M	S	P/6-8	NI	Y-O	Bright yellow foliage during growing season.
Spiraea japonica	L-M	S	P/6-9	NI	R-O	
'Little Princess'	М	S-PSh	P/6-7		Br	Delicate, mounded.
'Magic Carpet'	L-M	S	P/5-6		R-O	Very compact habit, new growth emerges bronze-re
'Neon Flash'			R/6-8			Rounded, compact habit with bright red flowers
Spiraea japonica		S-PSh	D/C 7	NII	Br	Low groundcover.
'Alpina' Spiraea x bumalda	М	3-1311	P/6-7	NI	ы	zon groundooven
·	ML	C DCh	D.D. /C.O.	NII	D D	Constanting of the transport
Bumald spirea	M-H	S-PSh	P-Pu/6-8	NI	Br-Pu	Spreading, flat-topped.
'Anthony Waterer'			R-rose			
'Froebelii'			Р			Slightly taller.
'Goldflame'			Р		R-O	Yellow-green foliage.
Spiraea x 'Limemound'						
Limemound Spirea	L-M	S-PSh	P/5-6	NI	R-O	Rounded, compact habit with lime-yellow leave
Spiraea nipponica 'Snowmound'						
Snowmound Spirea	L-M	S	W/5-6	NI	R-O	Upright rounded habit, blue-green leaves.
Spiraea trilobata 'Fairy Queen'	L-M	S	W/5-6	NI	R-O	Rounded, compact habit, blue-green leaves.
Fairy Queen Spiraea	L-IVI	3	VV/3-0	INI	R-O	Rounded, compact habit, blue-green leaves.
Symphoricarpos x chenaultii	М	S-PSh	NI	R-P	NII	Diverge on leaves a project of fruit leaves are until
Hancock coralberry	IVI	3-7311	INI	K-F	NI	Blue-green leaves; persistent fruit; lower growth.
Viburnum opulus 'Nanum'	М-Н	C Ch	G-W/5	R	R	True dwarf form.
European Dwarf Cranberrybush Viburnum Weigela florida 'Minuet'	IVI-I	S-Sh	G-W/5	K	K	True dwarf form.
Minuet Weigela	М	S-PSh	P/5-6	NI	NI	Purple-tinged leaves.
Weigela 'Elvera'						ruipie unged iedves.
=	М	S-PSh	R-P/5-6	NI	NI	Dark reddish-purple leaves.
Midnight Wine Weigela	IVI	3-1 311	11-175-0	INI	INI	
Medium Shrubs (4-6 feet when mature):						
Aronia melanocarpa						
Black chokeberry	М-Н	S-PSh	W/5-6	В	O-R	Glossy green foliage.
Aronia melanocarpa 'Morton'						
Iroquois Beauty™ Black Chokeberry	L-M	S-PSh	W/5-6	В	R	Dwarf form of black chokeberry.
Berberis thunbergii						
Japanese barberry	L-M	S-PSh	Y/5-5	R	O-R	Spiny; hedges or barrier.
'Helmond Pillar'						Upright habit with small red leaves.
'Orange Rocket'					R	Columnar habit. Leaves emerge
· ·						coral-orange, turning green.
Berberis thunbergii atropurpurea						
Purpleleaf Japanese barberry	L-M	S-PSh	Y/5-6	R	P-R	Reddish-purple foliage.
'Rose Glow'						Pink blotches on leaves.
Berberis x 'Tara'						
Emerald Carousel™ barberry	L-M	S-PSh	Y/5-6	R	O-R	Arching-rounded growth habit. Heavily spined.
Buddleia davidii	L-IVI	5-1 511	1/5-0	IX	0-10	Arching-rounded growth Habit. Heavily spined.
Butterfly bush	N.A	C DCh	V//6 7	NII	NII	Cut back in late winter Many verieties
-	М	S-PSh	V/6-7	NI	NI	Cut back in late winter. Many varieties.
Caragana frutex globosa Globe peashrub	1	S	V/E	NII	Υ	Compact rounded babit
Caragana pygmaea	L	3	Y/5	NI	ī	Compact rounded habit.
Pygmy peashrub	L	S	Y/5	NI	Υ	Low-growing, fine textured shrub.
i yginy peasinab	∟	J	1/5	1 1 1	'	Very hardy, tolerates dry, alkaline soils.
Chaenomeles speciosa						very maray, tolerates ary, arkaline solls.
Flowering quince	N.A	C DCh	D/D/M//4	~	NII	Spiny stame: large fruit only occasionally
r lowering quince	М	S-PSh	R/P/W/4	Υ	NI	Spiny stems; large fruit only occasionally.

Cornus alba 'Bailhalo'						
lvory Halo® Dogwood	M-H	S-PSh	W/5-6	W-BI	R-Pu	Compact variegated leaf dogwood.
Cornus sericea 'Isanti' Isanti Dogwood	М-Н	S-PSh	W/5-6	W	R-Pu	Red twigs; compact habit.
Euonymus alatus 'Compacta'	141-11	3-1 311	VV/3-0	VV	IX-I U	ived twigs, compact habit.
Compact burning bush	М	S-Sh	NI	P/O	R	Slightly winged twigs.
Forsythia viridissima koreana 'Kumson'						
Kumson Forsythia	М	S	Y/3-4	NI	Y-Pu	Dark green leaves with white veins.
Hydrangea macrophylla 'Bailmer' Endless Summer® Hydrangea	М	Sh-PSh	P-B/7-9	NI	NI	Large snowball-like flowers on current year's gr
Hydrangea quercifolia		0	. 2,, 0			Large one was more to the carrette years gi
Oakleaf Hydrangea	М	Sh-PSh	W/5-6	NI	R-Pu	Large white flowers fade to pink. Lobed leaves
Ligustrum x vicaryi						
Golden vicary privet	М	S	W/6-7	NI	NI	May show winter dieback.
Perovskia atriplicifolia (Salvia yangii) Russian saqe	L	S	L-Pu/7-9	NI	NI	Very small, fine leaves; cut back to 6" in late wi
Philadelphus coronarius 'Aureus'	_	Ü	2.47.0			very email, into leaves, ear basic to o in late in
Golden mockorange	М-Н	S	W/5-6	NI	NI	Yellow foliage all season.
Philadelphus lewisii 'Blizzard'						
Blizzard Mockorange Physocarpus opulifolius 'Nana'	L-M	S-PSh	W/5-6	NI	NI	Very hardy.
Dwarf ninebark	L-M	S	W/5-6	NI	R-Br	Green foliage, dwarf habit.
Physocarpus opulifolius 'Seward'	□ 1¥1	5	VV/ J-U	1 41	IV DI	Oreen foliage, awan nabit.
Summer Wine® Ninebark	L-M	S	W/5-6	NI	Y-O	Reddish-purple foliage, compact habit.
Prunus glandulosa						
Dwarf flowering almond	М	S	P/4-5	NI	NI	Flowers precede leaves.
'Alba' 'Rosea Plena'			W P			Single flowers. Double flowers.
Prunus x cistena			Г			Double Howers.
Cistena plum (purpleleaf sand cherry)	М	S-PSh	P/5-6	B-Pu	Pu	Purple foliage all season.
Rhus trilobata						
Threeleaf sumac (skunkbush)	L	S-PSh	Y/4	R	Y-O-R	Native; pungent foliage.
Ribes alpinum 'Greenmound'	1. 1.4	C DCh	NII	D	V	Danca mayinding babit
Greenmound Alpine Currant Ribes aureum	L-M	S-PSh	NI	R	Υ	Dense mounding habit.
Golden currant	L-M	S-PSh	Y/4-5	В	R-Pu	Native; fragrant flowers.
Ribes odoratum						
Clove currant	L-M	S-PSh	Y/4-5	В	Y-R	Clove scented flowers.
Salix purpurea nana		C DCI-	NII	NII	NII	
Dwarf arctic willow Spiraea x vanhouttei	M-H	S-PSh	NI	NI	NI	Fine texture; needs winter moisture.
Vanhoutte spirea	L-M	S-PSh	W/5-6	NI	Br	Graceful, arching habit.
'Renaissance'						Very similar.
Symphoricarpos albus						
Snowberry	L-M	S-PSh	P-W/6-7	W	NI	Very adaptable.
Syringa 'Bailbelle' Tinkerbelle® Lilac	L-M	S	P/4-5	NI	NI	Compact habit with pink flowers. Mildew resist
Syringa meyeri 'Palibin'	L 141	3	174 3	141	141	Compact habit with pink howers. While wiresist
Dwarf Korean Lilac	L-M	S-PSh	L-P/5-6	NI	NI	Rounded, dense habit.
Syringa patula 'Miss Kim'						
Miss Kim Lilac	L-M	S	BI-L/5-6	NI	R-Pu	Rounded, dense habit.
Viburnum carlesii Korean Spice Viburnum	М	S-Sh	W-P/4-5	R	R	Fragrant pink to white flowers.
Viburnum opulus 'Compactum'	IVI	5-511	W-1/4-5	IX.	IX.	ragiant pink to write nowers.
Compact European cranberrybush viburnum	М-Н	S-PSh	W/5-6	R	NI	Showy, persistent fruit.
Viburnum trilobum 'Compactum'						
Compact American cranberrybush viburnum	M-H	S-PSh	NI	NI	R	Dense, rounded.
Weigela florida Weigela	М	S-PSh	P/5-6	NI	NI	Trumpet-shaped flowers.
'Red Prince'	IVI	3-1-311	R/6	INI	INI	Rounded, dense habit.
Wine and Roses® Weigela			P/6			Purple foliage.
Variegated weigela			P/5-6			Bright green leaves with cream-colored edges.
Large Shrubs (more than 6 feet when mature): Acer ginnala						
Amur Maple	L	S-PSh	W/4-5	NI	RO	Can be grown and used as a small tree.
	_	511				_
'Flame'				R		Densely branched large shrub to small tree.

Amelanchier alnifolia						
Standing Ovation™ Serviceberry 'Regent'	L-M	S-PSh	W/4-5	B-Pu	YOR	Narrow, upright oval habit. Mid-sized shrub with sweet fruit.
Amelanchier canadensis		C DCI-	V4//4 E	D. D.	VOD	Language describe an area all Area a contra construite to a la tra
	L-M	S-PSh	W/4-5	B-Pu	YOR	Large shrub or small tree with upright habit.
Shadblow serviceberry Amelanchier spp.						Some suckering.
Serviceberry (Juneberry)	М	S-PSh	W/4-5	R-Pu	YOR	Shrub or small tree.
Aronia arbutifolia	IVI	3-5311	VV/4-3	K-Fu	TOR	Siliub di Siliali tiee.
'Brilliantissima'- Red chokeberry	М-Н	S-PSh	W/5-6	R	R	Bright red fruit in late summer, with brilliant red fall color.
'Erecta'- Upright red chokeberry	*****	3 1 311	**********	10	1	Upright habit.
Buddleja alternifolia 'Argentea'						opingine nazira
Silver Fountain Butterfly Bush	L	S	L/6-7	NI	NI	Blue-gray finely textured foliage with fragrant
,						lavender flowers. Blooms on previous year's growth.
						, , ,
Caragana arborescens						
Siberian peashrub	L	S	Y/5	NI	Υ	Very adaptable.
Cornus alba 'Argenteo Marginata'						
Variegated dogwood	M-H	S-PSh	W/5-6	W	R-Pu	Green leaves with white margins,
						prune out old wood to maintain red stems.
Cornus sericea						
Redtwig dogwood	M-H	S-PSh	W/5-6	W-BI	R-Pu	Red stems in winter.
'Baileyi'						Red stems in winter.
'Flaviramea' (yellowtwig dogwood)						Yellow stems in winter.
Corylus avellana 'Contorta'						
Contorted Filbert	M	S-PSh	NI	NI	Y-O-R	Gray stems with twisting branches
						and curled leaves on new growth.
Cotinus coggygria						
Smoketree	M	S-PSh	P-W/7	NI	Pu-O	Flowers like "pink smoke."
'Royal Purple'						Purple leaves; less hardy.
'Nordine'						Purple leaves; hardier.
Cotoneaster lucidus						
Hedge cotoneaster	L-M	S-PSh	P/5	В	R-O	Screening or hedge use. Can re-seed.
Euonymus alatus						
Burning bush (winged euonymus)	M	S-Sh	NI	P/R/O	R	Winged stems; pink fruit.
Euonymus europaeus						
Spindletree (European euonymus)	M	S-Sh	NI	R-Pu/O	R-Pu	Shrub or small tree.
Forsythia spp.						
Forsythia	M	S	Y/3-4	NI	Y-Pu	Blooms early.
'Lynwood Gold'						Upright, arching habit.
'Meadowlark'						Hardy flower buds.
'Northern Gold'						Smaller, flower buds hardy.
'Northern Sun'						Flower buds hardy.
Northern Sun						
						,
Hibiscus syriacus Rose-of-Sharon (shrub althea)	М	S-PSh	V/7-8	NI	NI	Showy, late flowers.
Hibiscus syriacus Rose-of-Sharon (shrub althea)	М				NI	Showy, late flowers.
Hibiscus syriacus Rose-of-Sharon (shrub althea)	M M-H	S-PSh S-PSh	V/7-8 W/7-8	NI NI	NI NI	Showy, late flowers. Large flower clusters.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora'						•
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea		S-PSh	W/7-8			Large flower clusters.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™'	М-Н	S-PSh PSh-Sh	W/7-8 G-P/7-8			Large flower clusters. Upright - rounded.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™'	М-Н	S-PSh PSh-Sh	W/7-8 G-P/7-8			Large flower clusters. Upright - rounded.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis	M-H M	S-PSh PSh-Sh Sh-PSh	W/7-8 G-P/7-8 W-P/7-9	NI	NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush	M-H M	S-PSh PSh-Sh Sh-PSh	W/7-8 G-P/7-8 W-P/7-9	NI	NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud'	M-H M	S-PSh PSh-Sh Sh-PSh	W/7-8 G-P/7-8 W-P/7-9	NI	NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet	M-H M L-M	S-PSh PSh-Sh Sh-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6	NI NI	NI Br	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet	M-H M L-M	S-PSh PSh-Sh Sh-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6	NI NI	NI Br	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle	M-H M L-M	S-PSh PSh-Sh Sh-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6	NI NI B	NI Br NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle	M-H M L-M	S-PSh PSh-Sh Sh-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6	NI NI B	NI Br NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle	M-H M L-M M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6	NI NI B	NI Br NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle	M-H M L-M M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6	NI NI B	NI Br NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red'	M-H M L-M M M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6	NI NI B R	NI Br NI NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red'	M-H M L-M M M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6	NI NI B R	NI Br NI NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red'	M-H M L-M M M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6	NI NI B R	NI Br NI NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red' Magnolia stellata 'Royal Star' Royal star magnolia	M-H M L-M M M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6 P/5	NI B B R	NI Br NI NI NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids. Some resistance to aphids.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red' Magnolia stellata 'Royal Star' Royal star magnolia	M-H M L-M M M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6 P/5	NI B B R	NI Br NI NI NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids. Some resistance to aphids.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red' Magnolia stellata 'Royal Star' Royal star magnolia Philadelphus lewisii Cheyenne® Cheyenne mockorange	M-H M L-M M L-M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh Sh-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6 P/5 R/5	NI B B R R	NI Br NI NI NI NI Y-O	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids. Some resistance to aphids. Large, fragrant white flowers.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky"' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red' Magnolia stellata 'Royal Star' Royal star magnolia Philadelphus lewisii Cheyenne® Cheyenne mockorange	M-H M L-M M L-M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh Sh-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6 P/5 R/5	NI B B R R	NI Br NI NI NI NI Y-O	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids. Some resistance to aphids. Large, fragrant white flowers.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red' Magnolia stellata 'Royal Star' Royal star magnolia Philadelphus lewisii Cheyenne® Cheyenne mockorange Philadelphus x virginalis Mockorange	M-H M L-M M L-M L-M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh S-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6 P/5 R/5 W/4-5 W/5-6	NI B R R Br-R	NI Br NI NI NI Y-O NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids. Some resistance to aphids. Large, fragrant white flowers. Fragrant flowers; coarse texture. Plant Select® 2001.
Hibiscus syriacus Rose-of-Sharon (shrub althea) Hydrangea paniculata 'Grandiflora' PeeGee Hydrangea 'Limelight' 'Pinky Winky™' Kolkwitzia amabilis Beautybush 'Pink Cloud' Ligustrum vulgare 'Cheyenne' Cheyenne privet Lonicera involucrata Twinberry Honeysuckle Lonicera korolkowii Blueleaf honeysuckle Lonicera tatarica Tatarian honeysuckle 'Arnold Red' Magnolia stellata 'Royal Star' Royal star magnolia Philadelphus lewisii Cheyenne® Cheyenne mockorange Philadelphus x virginalis	M-H M L-M M L-M L-M L-M	S-PSh PSh-Sh Sh-PSh S-PSh S-PSh S-PSh S-PSh S-PSh	W/7-8 G-P/7-8 W-P/7-9 P/5-6 W/6-7 Y/5-6 P/5 R/5 W/4-5 W/5-6	NI B R R Br-R	NI Br NI NI NI Y-O NI	Large flower clusters. Upright - rounded. Large pyramidal flowers open white and turn pink. Shredding bark; coarse texture. If sheared, no flowers or fruit. Holds leaves late. Upright habit with shiny black twin berries. Resistant to aphids. Some resistance to aphids. Large, fragrant white flowers. Fragrant flowers; coarse texture. Plant Select® 2001.

Physocarpus op						Y-O	Vallauriah araan faliana
'Dart's Golder	ו'						Yellowish-green foliage.
Diabolo®						Br	Red-purple foliage.
Little Devil™						R-Pu	Reddish-purple foliage, compact habit.
'Luteus'						Y-O	Golden yellow foliage.
Prunus tomentosa		L-M	S-PSh	P-W/4	R	Υ	Edible fruit attracts birds.
Nanking (Man Prunus triloba	chu) cherry	L-IVI	3-2311	P-VV/4	K	ī	Edible Ifult attracts bilds.
Double flower	ring plum	М	S-PSh	P/4	NI	NI	Double pink flowers
Prunus virginiana	ing plan	IVI	3-1-311	F/ 4	INI	INI	Double pink flowers.
Common chok	vecherny	М	S-PSh	W/5	R-Pu	Υ	Suckering, attracts birds.
	nada red cherry)	IVI	51511	VV/5	IX I U		Green leaves turn maroon.
Rhamnus frangula							Green leaves tall maioon.
_	ckthorn (Tallhedge)	М	S-PSh	NI	R-B	Υ	Thornless: vertical habit.
	Fernleaf buckhorn	***	0.0		5	•	Long, narrow leaves.
	- Fine Line® Buckthorn				B-Pu		Upright habit with long, narrow leaves.
Rhus glabra							3,
Smooth suma	С	L-M	S-PSh	G-Y/5-6	R	R-O	Suckers; best in poor soil.
'Laciniata'- Cut	tleaf smooth sumac						Finely divided leaflets.
Rhus typhina							•
Staghorn sum	nac	L-M	S-PSh	G-Y/5-6	R	R-O	Larger; suckers; best in poor soil.
'Dissecta'							Deeply cut leaves.
Tiger Eyes®							Bright yellow leaves.
Salix discolor							
Pussywillow		Н	S	Gray/3-4	NI	NI	Early catkins (flowers), very susceptible to canker.
Sambucus canade	ensis 'Aurea'						
Golden elder		M-H	S	W/6-7	R-B	NI	Golden leaves; edible fruit.
Sambucus nigra							
Black Lace™		M-H	S	W/6-7	R-B	NI	Lacy, dark purple foliage.
Shepherdia argen	tea						
Silver buffalob	perry	L	S	Y-W/5-6	R	NI	Silvery-green foliage. Xeric.
Sorbaria sorbifolia							
Ash-leaf spire	ea (Ural false-spirea)	М	S-PSh	W/6-7	NI	NI	Lush foliage; suckering.
Syringa vulgaris							
Syririga vulgaris							
Common lilac	(includes "French hybrids")	М	S	V/5	NI	NI	Prone to powdery mildew. Many varieties.
Common lilac 'Charles Joly'		М	S	R-Pu	NI	NI	Double flowers.
Common lilac 'Charles Joly' 'President Gre				R-Pu Lt Bl			Double flowers. Double flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation'	evy'	M L-M	S S	R-Pu	NI NI	NI NI	Double flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a	evy'	L-M	S	R-Pu Lt BI P-W/5	NI	NI	Double flowers. Double flowers. Showy purple flowers with white margins.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white	evy' Iba e lilac			R-Pu Lt Bl			Double flowers. Double flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens	evy' Iba e lilac	L-M L-M	S S	R-Pu Lt BI P-W/5 W/5	NI NI	NI NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac	evy' Iba e lilac	L-M L-M M	S	R-Pu Lt Bl P-W/5 W/5	NI	NI NI Y	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana'	evy' Iba e lilac is	L-M L-M	S S	R-Pu Lt BI P-W/5 W/5	NI NI	NI NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth	evy' Iba e lilac is	L-M L-M M L-M	s s	R-Pu Lt Bl P-W/5 W/5 Pu/5 R-Pu/4-5	NI NI NI	NI NI Y NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker'	evy' Iba e lilac is	L-M L-M M	S S	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5	NI NI	NI NI Y	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas'	evy' ba e lilac is	L-M L-M M L-M	s s	R-Pu Lt Bl P-W/5 W/5 Pu/5 R-Pu/4-5	NI NI NI	NI NI Y NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonia	evy' ba e lilac is	L-M L-M M L-M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5	NI NI NI	NI NI Y NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac	lba e lilac is niflora	L-M L-M M L-M L-M	s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6	NI NI NI	NI NI Y NI NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma	lba e lilac is niflora	L-M L-M L-M L-M L-M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5	NI NI NI	NI NI Y NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma	lba e lilac is niflora	L-M L-M M L-M M L-M M	s s s	R-Pu Lt Bl P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P	NI NI NI	NI NI Y NI NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wymae 'James McFarl 'Miss Canada'	lba e lilac is niflora	L-M M L-M L-M M L-M M L-M M M M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P	NI NI NI	NI NI Y NI NI Y	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty'	lba e lilac is niflora ae	L-M L-M M L-M M L-M M	s s s	R-Pu Lt Bl P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P	NI NI NI	NI NI Y NI NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu	evy' Iba e lilac is niflora ae an' lane'	L-M M L-M M L-M M L-M M L-M M L-M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P	NI NI NI	NI NI Y NI NI NI Y NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vi	evy' Iba e lilac is niflora ae an' lane'	L-M M L-M L-M M L-M M L-M M M M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5	NI NI NI NI BI/B	NI NI Y NI NI Y NI Y NI Y NI T NI T Y NI NI T Y NI T T T T T T T T T T T T T T T T T T	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu	lba e lilac is niflora ae an' lane'	L-M M L-M M L-M M L-M M L-M M L-M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P	NI NI NI	NI NI Y NI NI Y NI NI	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wymae 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vi Blue Muffin® Viburnum lantana	lba e lilac is niflora ae an' lane'	L-M M L-M M L-M M L-M M L-M M L-M	S S S S	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5	NI NI NI NI BI/B BI	NI NI Y NI NI Y NI Y NI Y NI T NI T Y NI NI T Y NI T T T T T T T T T T T T T T T T T T	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vii Blue Muffin®	lba e lilac is niflora ae an' lane'	L-M M L-M M L-M M L-M M L-M M M M M	s s s	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/5 W/4-5	NI NI NI NI BI/B	NI NI Y NI NI Y NI R	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree	lba e lilac is niflora ae an' lane'	L-M M L-M M L-M M L-M M L-M M M M M	S S S S	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/5 W/4-5	NI NI NI NI BI/B BI	NI NI Y NI NI Y NI R	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wymac 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican'	lba e lilac is niflora ae an' lane' um burnum e viburnum	L-M M L-M M L-M M L-M M L-M M M M M	S S S S	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/5 W/4-5	NI NI NI NI BI/B BI	NI NI Y NI NI Y NI R	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatt Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage	lba e lilac is niflora ae an' lane' um burnum e viburnum	L-M M L-M L-M M L-M M L-M M M M M M	S S S S S-Sh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/5 W/4-5	NI NI NI NI RI R-B	NI NI Y NI NI Y R Pu-Br	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentatt Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage Nannyberry vi Viburnum opulus	lba e lilac is niflora ae an' lane' um burnum e viburnum	L-M M L-M L-M M L-M M L-M M M M M M	S S S S S-Sh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/5 W/4-5	NI NI NI NI RI R-B	NI NI Y NI NI Y R Pu-Br	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentate Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage Nannyberry vi Viburnum opulus European cra	lba e lilac is niflora ae an' lane' um burnum e viburnum	L-M L-M M L-M M L-M M L-M M M M L-M M M M M	S S S S S-Sh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/4-5 W/4-5	NI NI NI NI RI BI/B BI R-B	NI NI Y NI NI Y-R R Pu-Br ROPu	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form. Can be trained as a small tree.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentate Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage Nannyberry vi Viburnum opulus European cra	lba e lilac is iniflora ae an' lane' um burnum a e viburnum biburnum nberrybush viburnum nwball viburnum	L-M L-M M L-M M L-M M L-M M M M L-M M M M M	S S S S S-Sh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/4-5 W/4-5	NI NI NI NI RI BI/B BI R-B BI	NI NI Y NI NI Y-R R Pu-Br ROPu	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form. Can be trained as a small tree. Fruit persists; aphid prone.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentate Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage Nannyberry vi Viburnum opulus European cra 'Roseum'- Sno Viburnum trilobur	lba e lilac is iniflora ae an' lane' um burnum a e viburnum biburnum nberrybush viburnum nwball viburnum	L-M L-M M L-M M L-M M L-M M M M L-M M M M M	S S S S S-Sh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/4-5 W/4-5	NI NI NI NI RI BI/B BI R-B BI	NI NI Y NI NI Y-R R Pu-Br ROPu	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form. Can be trained as a small tree. Fruit persists; aphid prone.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFarl 'Miss Canada' 'Royalty' Viburnum dentate Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage Nannyberry vi Viburnum opulus European cra 'Roseum'- Sno Viburnum trilobur	lba e lilac is iniflora ae an' lane' um burnum a e viburnum biburnum nberrybush viburnum mwball viburnum	L-M M L-M M L-M M M M M M M M M M M M	S S S S S S-Sh S-PSh S-PSh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/4-5 W/4-5 W/4-5	NI NI NI NI BI/B BI R-B BI R NI	NI NI Y NI NI Y-R R Pu-Br ROPu R-Pu	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form. Can be trained as a small tree. Fruit persists; aphid prone. Showier flowers; aphid prone; no fruit.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common white Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFart 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentage Nannyberry vi Viburnum opulus European cra 'Roseum'- Sno Viburnum trilobur American crai	lba e lilac is niflora ae an' lane' um burnum burnum ie viburnum nberrybush viburnum nmberrybush viburnum nnberrybush viburnum	L-M L-M M L-M M L-M M M M M M M M M M M	S S S S S S-Sh S-PSh S-PSh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/4-5 W/4-5 W/4-5	NI NI NI NI BI/B BI R-B BI R NI	NI NI Y NI NI Y-R R Pu-Br ROPu R-Pu	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form. Can be trained as a small tree. Fruit persists; aphid prone. Showier flowers; aphid prone; no fruit.
Common lilac 'Charles Joly' 'President Gre 'Sensation' Syringa vulgaris a Common whit. Syringa x chinens Chinese lilac 'Saugeana' Syringa x hyacinth 'Mount Baker' 'Pocohontas' Syringa x prestonic Canada lilac 'Donald Wyma 'James McFart 'Miss Canada' 'Royalty' Viburnum dentatu Arrowwood vi Blue Muffin® Viburnum lantana Wayfaring tree 'Mohican' Viburnum lentago Nannyberry vi Viburnum opulus European cra 'Roseum'- Sno Viburnum trilobur American crai 'Wentworth'	lba e lilac is iflora ae an' lane' um burnum e viburnum biburnum nberrybush viburnum num nberrybush viburnum num num num num num num num num num	L-M M L-M M L-M M M M M M M M M M M M	S S S S S S-Sh S-PSh S-PSh S-PSh	R-Pu Lt BI P-W/5 W/5 Pu/5 R-Pu/4-5 W/4-5 R-Pu/5 BI-L-P-Pu/5-6 Pu-L/5 P Pu/5 W/4-5 W/4-5 W/4-5	NI NI NI NI BI/B BI R-B BI R NI	NI NI Y NI NI Y-R R Pu-Br ROPu R-Pu	Double flowers. Double flowers. Showy purple flowers with white margins. White form of common lilac. Small leaves, loose flowers. Darker reddish-purple flowers. Large white blooms early. Upright rounded habit with deep violet flowers. Blooms later. Dense, upright habit with pink to reddish flowers. Upright growth habit. Slightly smaller. Upright oval habit with violet-purple flowers. Upright spreading habit. Compact habit. Blue berries stand out against foliage. Leathery leaves persist. More compact form. Can be trained as a small tree. Fruit persists; aphid prone. Showier flowers; aphid prone; no fruit.

Viburnum x juddii						
Fragrant viburnum	М	S-Sh	W/4-5	R	R	Dense, rounded habit with fragrant white flowers.
Viburnum x rhytidophylloides 'Alleghany'						
Alleghany viburnum	М	S-PSh	W/5-6	R-B	Pu-Br	Leathery leaves persist. Plant Select® 1997

a Soil moisture: L=Low M=Medium H=High

b Exposure: S=Sun PSh=Partial shade Sh=Shade

c Flower color: BI=Blue G=Green L=Lavender P=Pink Pu=Purple R=Red W=White Y=Yellow V=varies with cultivar

NI=Not Important

Months numbered 1 - 12

d Fruit: B=Black Bl=Blue O=Orange P=Pink Pu=Purple R=Red W=White Y=Yellow NI=Not Important

e Fall color: Br=Bronze O=Orange Pu=Purple R=Red Y=Yellow NI=Not Important